

## **Built-in Fireplace** 39" Deluxe Electric Firebox

## BF39DXP



BF Series fireboxes solve design challenges, add exceptional value, and look great doing it. Their exceptional versatility means they can be installed virtually anywhere, especially in locations and buildings that are impossible for a combustion fireplace. And as with all Dimplex fireplaces, The BF Series offer realism that continues to set the bar in the industry and ensures that everyone – from the designer and contractor, to homeowner – is happy with the results.

# **Dimplex**®

## **Built-in Fireplace** 39" Deluxe Electric Firebox



### BF39DXP

### **Features**

*	<b>The Original Dimplex</b> <b>Flame Effect</b> <sup>™</sup> A blend of technology, artistry and craftsmanship that sets the standard
Ð	for realism. <b>Patented Inner Glow Logs</b> Individually molded and hand-finished logs pulse and glow from within for the look of natural burning logs.
<b>I</b> ≣	<b>Primary Heating</b> Option to use 240 volt supply for up to 9,200 BTU - use as part of primary heating plan.
Ê	Three-stage Remote Enjoy flames with half-heat, full-heat or flames only.
~ <b>:</b>	Wired, Seamless Design Designed for built-in installations wired directly to a dedicated circuit for a clean, custom appearance (Optional plug kit available).
Ø	<b>Reduces Liability</b> Ideal for public spaces in commercial installations; meets the strictest building codes.
	Brick-look interior Provides the appearance of a brick firebox for added authenticity.
	<b>All-season Flames</b> Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
6	Economical Economical to operate costing only pennies per hour.*
	Low Carbon Footprint The most sustainable fireplace option; no emissions and 100% efficient.
0	<b>Cool-touch Glass</b> Glass remains cool making it safe for any location and any user.
	* Based on national average residential electricity rate. Rates vary.

electricity rate. Rates vary.

0.5 / 0.2 781052 042407 Specifications, finishes and dimensions are subject to change. †Limited warranty. ©2019 Dimplex North America Limited.

1.1 / 0.5 781052 040687

781052 052956

781052 056787

43 x 4-1/4 x 2-1/2

0.6 / 0.3 781052 040748 1 yr. 6-3/4 x 6-1/2 x 6-3/4 17.1 x 16.5 x 17.1 0.16 0.00

6x6x7

109.2 x 10.8 x 6.4 0.26 0.00

15.2 x 15.2 x 17.8 0.15 0.00

6-3/8 x 5-1/2 x 3-1/4 16.2 x 14.1 x 8.1 0.07 0.00

2-3/4 x 4-3/4 x 2 7.2 x 12.3 x 5.0 0.02 0.00

6/2.7

1.5 / 0.7

BF4TRIM39

BFRC-KIT

WRCPF-KIT

BFPLUGE

TS521W

raised profile trim

Plug kit

3-stage remote control kit

Wall switch remote control

Wall thermostat - white

## **Complex**<sup>®</sup>

## **Built-in Fireplace** 39" Deluxe Electric Firebox

#### Accessories



BFGLASS39BLK - Single pane, tamperproof glass door Dimensions: 35-5/8" W x 22-1/4" H x 1/2" D (90.5 cm x 56.5 cm x 1.4 cm)



BFDOOR39BLKSM - Single pane, bi-fold look glass door kit Dimensions: 35-5/8" W x 22-1/2" H x 1-3/4" D (90.4 cm x 57.2 cm x 4.3 cm)



BFSDOOR39BLK - Glass swing doors with black accents Dimensions: 35-1/2" W x 22-3/8" H x 1-3/4" D (90.0 cm x 56.7 cm x 4.3 cm)







BFRC-KIT - 3-stage remote control kit


WRCPF-KIT - Wall switch remote control



BFPLUGE - Plug kit



TS521W - Wall thermostat - white



## BF39DXP