



Opti-myst® Pro 1000

Built-in Electric Firebox

GBF1000-PRO

Impressive flames, completely customizable and versatile.



Easily turn fireplace design concepts into reality with the Opti-myst Pro 1000 Built-in Electric Firebox. Install as a single-sided unit, or remove the included backer panel and convert to a see-through design that opens the view between rooms. The discrete heater completes the functionality and ensures perfect comfort in addition to the dazzling Opti-myst flame and smoke effect.



Opti-myst® Pro 1000

Built-in Electric Firebox

GBF1000-PRO

Features

Opti-myst® Flame Effect
Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.

Customizable Flame Width
Includes spacers and slots for customizable flame width and pattern.

Single or Double-sided
Includes removable hi-gloss/reflective backer panel for easy conversion.

Adjustable Flame Intensity
Control the desired volume of flame.

Supplemental Heat
Includes an effective fan-forced heater to warm up to 400 sq. ft.; Heater heats one side, even with backer panel removed.

Continuous Water Supply
Optional plumbed water supply kit (CDFIPLUMB-KIT) provides continuous operation without refilling water tanks.

Media Options
Includes media tray that can be customized with any media (not included). Optional inner glow logs also available.

Crackling Sound Effects
Enjoy a more complete sensory experience with the sound of natural wood fire.

Frame, Wire and Finish
Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

Zero Emissions
The most sustainable fireplace option; no emissions and 100% efficient.

Energy Efficient
Uses low-energy LED lights for low-cost operation.

Sight and Sound Remote
Control the flames, heater and sound at the touch of a button.

Shown with backer panel removed, optional glass pane (GBF1000-GLASS), and included front glass kit (FG1000) installed.

Customizable Flame
Shown with slot inserts for a contemporary ribbon of flame.



Customizable Flame
Shown with spacer inserts for a more organic flame.

Optional Pro 1000 Log Kit (CDFILOG-KIT)



120 Volts | 1,460 Watts | 4,981 BTU

Optional Media Kits



CDFI1000-BLKRCK



CDFI1000-RVRCK



CDFI1000-DWSKIT


Model #	Description	Lbs/Kg	UPC	Wty.	Carton Dimensions (WxHxD)		Cube	
					inches	cm	Ft³	M³
Package consists of three cartons including (1) Pro 1000 Built-in Firebox, (1) Pro 1000 Cassette and (1) Front Glass Kit.								
CDFI-BX1000	Opti-myst® Pro 1000 Built-in Firebox	37 / 81.4	781052 110618	2 yr.	48-1/2 x 37 x 18-1/8	123.0 x 94.0 x 46.0	18.8	0.53
CDFI1000-PRO	Opti-myst® Pro 1000 Cassette	35 / 15.9	781052 112612	2 yr.	44-1/2 x 13-3/8 x 18-1/8	113.0 x 34.0 x 46.0	6.2	0.18
FG1000	Front Glass Kit	19.6 / 8.9	781052 118379	1 yr.	50-5/8 x 20-7/8 x 5-1/8	128.5 x 53.0 x 13.0	2.9	0.08
CDFILOG-KIT	Pro 1000 Log Kit (2 log sets)	28 / 12.7	781052 104754	1 yr.	23-1/2 x 17-3/4 x 22	60.0 x 45.1 x 55.9	5.3	0.15
CDFI1000-BLKRCK	Black Rock Media	24.2 / 11	781052 121065	1 yr.	(2) 14 x 3-1/4 x 6-1/4	(2) 6.34 x 1.44 x 2.82	0.16	0.00
CDFI1000-RVRCK	River Rock Media	23 / 10.4	781052 121072	1 yr.	(2) 14 x 3-1/4 x 6-1/4	(2) 6.34 x 1.44 x 2.82	0.16	0.00
CDFI1000-DWSKIT	Driftwood Media	1.76 / .79	781052 121027	1 yr.	25-1/8 x 5-3/8 x 5-5/8	62.7 x 13.7 x 14.3	0.43	0.01
GBF1000-GLASS	Rear Glass Pane	20.9 / 9.5	781052 116979	1 yr.	50-5/8 x 21-5/8 x 4-7/8	128.5 x 55.0 x 12.5	2.9	0.08
CDFIPLUMB-KIT	Plumb Kit	0.7 / .32	781052 103221	1 yr.	15-1/2 x 3-1/2 x 6-1/2	39.4 x 8.9 x 16.5	0.2	0.01

Opti-myst® Pro 1000 Built-in Electric Firebox


GBF1000-PRO

Product Dimensions:


FRONT




SIDE




REAR




FRONT GLASS KIT - FG1000



OPTIONAL REAR GLASS PANE - GBF1000-GLASS



Framing Dimensions:



Bluetooth Receiver

Must be connected for operation. Can be recessed inside the wall or installed for remote control accessibility.



Remote Control