



**Revillusion™**

30" Built-in Electric Firebox

RBF30

The Future of  
Fireplaces is Clear.™



Revillusion™ is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion™, clearly a better fireplace.

**Revillusion™**  
by Dimplex

# Revillusion™

## 30" Built-in Electric Firebox

RBF30

Capacitive touch built-in controls.



### Accessories



30" Single Glass Pane,  
tamperproof glass  
(RBFGLASS30)

**Mood-maker Remote**  
Customize the light color and  
intensity for a fireplace that  
reflects your personality.



120 V | 1,375 W | 4,400 BTU  
208 V | 1,975 W | 6,745 BTU  
240 V | 2,575 W | 8,794 BTU

Model #	Description	Lbs / Kg	UPC	Wty*	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft³	m³
RBF30	30" Built-in Electric Firebox	67.7 / 30.7	781052 104747	2 yrs.	35-3/8 x 15 x 31-5/8	89.8 x 38.2 x 80.4	9.7	0.3
RBFGLASS30	Single Glass Pane	22.1 / 10	781052 108004	1 yr.	35-5/8 x 29-1/4 x 4-1/4	90.4 x 74.2 x 10.6	2.6	0.07
RBFPLUG	Plug Kit		781052 107656					

Specifications, finishes and dimensions are subject to change. \*Limited warranty. ©2017 Dimplex North America Limited.

### Features


- Revillusion™ Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.
- Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.
- ThruView™ Full-depth Design**  
See clear through the flames to the back of the firebox for a more authentic experience.
- Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.
- Color Enhancement**  
Adjust the flame base color to red or blue.
- Realogs™ Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.
- Full Brick-surround Firebox**  
More authentic day or night; 270-degree herringbone brick with natural soot markings.
- Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.
- Ambient Light Sensor**  
Automatically adjusts firebox light to suit the room day to night.
- Quick and Easy Installation**  
Simply frame, wire and finish – no venting, gas lines or safety screens.
- Primary Heat**  
Option to use 240 volt supply for up to 8,800 BTU - use as part of primary heating plan; heater also operates without flame and can be deactivated.
- All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).
- Low Carbon Footprint**  
The most sustainable fireplace option; no emissions and 100% efficient.

SE-030-R06-022217


**Revillusion**<sup>™</sup>  
30" Built-in Electric Firebox

RBF30

**Product Dimensions:**



**Framing Dimensions:**



**NOTE:** The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self trimming flange is only to create a finished appearance.

RBF30					
A	B	C	D	E	F
12-1/2" (31.8 cm)	30-5/8" (77.8 cm)	26-1/4" (66.5 cm)	54-1/4" (137.8 cm)	38-1/2" (97.8 cm)	38-1/2" (97.8 cm)