



Large Strips Series

The Large Strips Series follows the same sharp lines & amazing shadow effects as our Strips series. This modern look, unique to EARTH, is unparalleled by any other product. Allowing for both large and small scale applications with easy installation, this stone Series creates a look of grandeur while still allowing the user to be creative.

Large Strips Series Product Information



LAVASTONE | BP-LRP






SILVER FOX | SF-LRP



WHITE WOLF | 06-LRP

PRODUCT DETAILS

| | | | |
|---------------------------|---|---|--|
| Uses |  EXT |  INT |  WALL |
| Finish | Honed | | |
| Format | Individual Pieces | | |
| Thickness | 1/2"-1" | | |
| Weight | 10-11 lbs/sq.ft. | | |
| Tolerance | +/- 1/8" | | |
| Resistance to Salt Attack | Nil loss after 15 cycles | | |

FREEZE THAW

| | |
|--------------------------|------|
| Average Water Absorption | ≤ 1% |
| Average Mass Loss | Nil |

COLOUR RANGE

Due to the nature of natural stone, colour may vary between batches. This is standard across the natural stone industry.

| NAME | CODE | STONE TYPE |
|------------|--------|------------|
| Lavastone | BH-LRP | Basalt |
| Silver Fox | SF-LRP | Limestone |
| White Wolf | 06-LRP | Marble |

Beauty
Set in
Stone.

Large Strips Series Installation Instructions

RECOMMENDED MORTAR

Lavastone BH-LRP/Silver Fox SF-LRP: Rapid-setting, thin-set mortar must be used.
White Wolf Panels o6-LRP must be installed using a white mortar to prevent staining.

RECOMMENDED SEALER (only when required)

Lavastone BH-LRP: must be sealed with a matte-finish natural look sealer. A test sample may be needed to confirm the final look is acceptable. Colour enhancers/enhancing sealers cannot be used.

STEP 1

Ensure all surfaces to be faced are clean and free of all loose material and dust. Surfaces to be faced must be structurally sound and comply with local building codes. Apply starter strips where required and ensure all starter strips are installed perfectly level.

STEP 2

Apply the mortar to the substrate using a minimum 3/8" notched trowel. Apply the mortar to the back of each piece of stone using a flat hand trowel. Place the stone in place and ensure proper adhesion is achieved by pressing firmly on the face of the stone. Our strips Series is designed to be installed without grout joints and with a 3D effect. Stones of different thicknesses should therefore be placed randomly on the wall (the layout in figure 1 is an example of how the strips should be laid). When installing, ensure all mortar is removed from the edges of the stone prior to installing the adjacent pieces. This will ensure that all adjacent pieces are installed as tight as possible and thus eliminating unsightly gaps.

STEP 3

Where needed, individual pieces should be cut with a wet saw to ensure accurate and clean cuts. Never mark the surface of the stone with a permanent marker as this will be absorbed by the stone and cannot be removed

STEP 4

During the installation and after the installation is completed, wipe the surface clean with clean water only, ensuring to remove all mortar and dust from the surface.

STEP 5

Prevent any vibration or hammering of the wall for a period no less than 24 hours after the stone has been applied to prevent the possibility of compromising the adhesion of the stone to the wall.

STEP 6

ERTH recommends the use of sealer on all applications susceptible to staining to protect the stone and allow for easy cleaning (especially in high traffic areas). A test sample may be required to determine the desired look.

Large Strips Series Installation Instructions

Strips Layout using 3 Boxes | 33 Pieces | approx. 18 sq.ft.






Figure 1

3/4" THICK PIECES



7/16" THICK PIECES



NOTE:

The vertical layout of strips in each row shows this pattern: 6", 2", 4", 6", 2", 4". etc.


It is best to keep all horizontal rows with the same height of stones.

The horizontal layout of this product in length and thickness will always be RANDOMIZED.

It is therefore up to the installer's creative discretion to determine the most aesthetically pleasing design.

Beauty
Set in
Stone.


Large Strips Series Format



3/4" THICK PIECES



7/16" THICK PIECES



FORMAT

Individual Pieces

NAME

CODE

STONE TYPE

| | | |
|------------|--------|-----------|
| Lavastone | BH-LRP | Basalt |
| Silver Fox | SF-LRP | Limestone |
| White Wolf | O6-LRP | Marble |

3/4" THICK PIECES

| T | x | W | x | H | PIECES / BOX |
|------|---|-----|---|----|--------------|
| 3/4" | x | 24" | x | 6" | 1 |
| 3/4" | x | 24" | x | 4" | 2 |
| 3/4" | x | 16" | x | 2" | 1 |
| 3/4" | x | 8" | x | 2" | 1 |

7/16" THICK PIECES

| T | x | W | x | H | PIECES / BOX |
|-------|---|-----|---|----|--------------|
| 7/16" | x | 24" | x | 6" | 2 |
| 7/16" | x | 24" | x | 4" | 1 |
| 7/16" | x | 24" | x | 2" | 1 |
| 7/16" | x | 16" | x | 2" | 1 |
| 7/16" | x | 8" | x | 2" | 1 |

Beauty
Set in
Stone.